Approved For Release 2006/04/20 CTA-RDP82-00457R011000430005-INFORMATION REPORT 25X1 25X1 COUNTRY USSR (Saratov Oblast) 17 March 1952 DATE DISTR 25X1 SUBJECT NO. OF PAGES Serp i Molet Machinery Parts Flant in Saratov NO. OF ENCLS. 2 (4 pages) (LISTED BELOW 25X1 SUPPLEMENT TO REPORT NO. TAIS DOCUMENT CONTAINS IMPORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 19. SECTIONS 79 A 400 794, OF THE U.S. CODE, AS AMENDED. 115 TERMINISSICH OR LEWIS-ATION OF TIT. CONTENTS TO GR. RECEIPT BY AN UNAUTHORIZED PERSON OF PROHIBITED BY LAW THE REPRODUCTION OF THIS FOOM IS PROBIBITED. THIS IS UNEVALUATED INFORMATION

1. The Serp i Molot Plant is in Saratov (51°34°N/46°C2°E), Saratov Oblast. The plant allegedly manufactured shells during the war. In 1949 and 1950, 50 percent of the machinery, which was in bad condition, was of German make. The plant comprised a foundry, a molding shop, a hardening shop, a forge, a department for cylinder blocks, a department for cogwheels and bevel gear wheels, a department for crankshafts and camshafts, a department for agricultural implements, two laboratories, a tool making shop, a carpentry shop, and a transformer station. Power was supplied to the plant from the SarGres Power Plant. Natural gas was supplied from Saratov through the plant distribution system. The plant had sppr tracks, and there was also/a narrow-gauge railroad with a Diesel locomotive and 100 railroad cars. The plant furthermore had its own truc's, some electric cars and Stalinets tractors. *

- 2. This plant produced cylinder blocks for the "Nati" tractor engine and for a semewhat smaller type engine of about 30 to 35 MP. The cylinder blocks for the Nati engine were allegedly 110 x 40 x 25 cm and had a cylinder head diameter of 140 mm, while those for the smaller engine were 75 x 30 x 15 cm with a cylinder head diameter of 138 mm. ** About 15 to 20 cylinder blocks were produced daily in Nay 1945. Daily production was between 180 and 250 acceptable units by the end of 1945. The waste for the entire plant amounted to from 30 to 40 percent. A daily output of 500 cylinder blocks could be achieved if the plant were modernized. The daily production scheduled for 1949 was 1,000 pieces. In 1948 and 1949 the daily output of crankshafts and camshafts, cogwheels and bevel gear wheels was about 150 of each item. Several thousand traction devices (Greifsporen) for tractor wheels were punched daily in the force. A small amount of valve tappets, belt pulleys and various agricultural implements were produced as sideline production.
- 3. Pig iron, molding sand etc. for the foundry, as well as hoop iron and various kinds of edge iron (Kanteisen) were supplied from outside plants. The entire output was shipped to the Stalingrad Tractor Plant.
- h. The plant was under the direction of the second manager Maizlovich (fnu).

CLASSIFICATION CONFIDENTIAL				25X1			
STATE #X	the state of the same, where the contract of the state of the same	NSRB	DISTRIBUTIO	4	1		
ARMY #	X AIR #XX	FBI					
		·		065			
		Document No.		-32.32			
		No Change in	Class.	'1 1			
		Declassifed Class. Changed	Ta. TS \$	e l			
		Class. (nangeo	10: 10	~			25X1
•	Approve	d April Release 2	066/04/20 : CIA	-RФР82-00 <mark>4</mark> 5	7R011000430	005-1	25/(1
		I Date: 1.3.SE	P1978 P:	/·			

BEST COPY Available

Approved For Release 2006/04/20 : CIA-RDP82-00457R011000430 CONFIDENTIAL,	005-1	 25X1
CENTRAL INTELLIGENCE AGENCY		\neg

The planning engineer was engineer Popov (fmu). The total number of employees as 3,000 to 4,000 early in 1950. It was reported that the plant employed only 2,000 to 3,000 workers in 1965 and 1966. About 40 percent of the workers were women and children. Work was done in three shifts. The plant was surrounded by a wall. Guard duty was performed by armed civilian plant militia.

* Comment. For location and leyout sketches of this plant see Annexes 1 and 2.

Comment. The Nati engine has a diameter of 125 mm; the other engine of about 35 HF is believed to be a KD-35 type engine which has a diameter of 100 mm.

Attachments: Two

1. Location sketch of the Serp i Melet Plant.

2. Layout sketch of the Sarp i Melot Plant.

CONFIDENTIAL

25X1

25X1


25X1

COMADD TO TEST For Release 2006/04/20 : CIA-RDP82-00457R011000430005-1

CENTRAL INTELLIGENCE AGENCY

25X1

Location Sketch of the Serp i Molot Plant in Saratov



Legend:

- Passenger station.
 Plant
 Astrakhanskaya Street.

25X1

- Serp i Molot Plant. Park.

CCFFIDENTIAL

25X1

CENTRAL INTELLIGENCE AGENCY


Avitachment 2

25X1

Layout Sketch of the Serp i Bolot Plant in Secator

12/3

Lerend: See next page.



Approved For Release 2006/04/20 : CIA-RDP82-00457R011000430005-1

CONTINUEN

25X1

CENTRAL INTELLIGENCE AGENCY

Attachment	

Legenda

- A. Area of them No Olk, believed to be the Former Tractordetail Hants
- Al. Office of the Communist Party.
- A2. Molotova Shoe Factory.
- P. Park grounds.
- C. Astrakhanskaya Street.
- D. Strip of lawn.
- E. Fugachevskaya Street.
- F. Former Beloglinskaya Street, closed to traffic due to plant expansion.
- G. Serp i Molot Flant.
 - 1. Administration building housing kitchen and offices.
 - 2. Laboratory and testing equipment for cylinder blocks.
 - 2 a. Laboratory of the foundry.
 - 2 b. Bath for employees.
 - 2 c. Room for testing cylinder blocks (exact location not determined) equipped with 4 test stands, 2 of them in operation, 1 installation for K-ray tests, 1 gas onnealing furnace, and 1 mobile autogenous welding shop.
 - 3. Foundry.
 - 3 a. Four gas-fired smelting furnaces, with a capacity of 3 to 5 tons, two of which were alternately in operation.
 - 3 b. Foundry installation equipped with a conveyor belt for molds which was not completed before 1943; 1 tempering furnace, about 50 meters long and 7 meters wide; 2 traveling cranes each having a capacity of 2,000 kg; 4 drums used for cleaning castings and 1 dust conveyor belt.
 - 3 c. Molding shop, exact location not determined.
 - 3 d. Material warehouse.
 - 3 e. Scrap crushing installation.
 - h. Workshop 2, in which cylinder blocks were finished, allegedly equipped with 3 planing machines, 2 drilling machines, 3 machines for oblique boring, 3 thread cutting machines, 2 steel brush machines (Stahlbuerstenmaschinen), 2 water test stands, 3 large planing machines, 4 precision planing machines, 1 traveling erane, and a shipping department.
 - 5. Norkshop 3, which produced cogwheels and bevel gear wheels, allegedly was equipped with h fully-automatic machines, 12 vertical drilling machines, 60 to 80 milling machines, 10 pull-type slotting machines (Eutenziehbaenken), 60 to 80 lathes and 10 to 50 thread cutting ELLEGIB machines.

	– 25X
CONSTIDUTAL	

CENTRAL INTELLIGENCE AGENCY

Attacrament a

25X1

with about 200 lathes and 100 pull-type slotting machines (Kuten-zichbaenke). Further details were not known.

- 7. Only part of this building was in use. The mechanical equipment was still being installed as o. January 1950. Agricultural incidentative were manufactured in this shop. Leeders and harrows were observed.
- 8. Tool-making shop.
- 9 and 10. Carpentry shops. A PU camp was temporarily housed in one of these buildings.
- II. Hardening shop and material testing shop of Torkshop h, equipped with h to 6 hardening furnaces.
- 12. Forge of Workshop 4, allegedly equipped with 3 large presses, 2 cutting presses, 3 punching machines, 7 (as fired forges and miscellaneous machine tools.
- 13. Residence of the plant commissar.
- 14. Haterial warehouse.
- 15. New transformer station.
- 16, 17 and 10. Workshop 5. The following shops were housed in those buildings: 1 fitting shop, 1 electric shop, 1 sand-blasting shop and 1 shop which manufactured valve tappets.
- 19. Carage and automobile repair shop.
- 20. Warehouse for food storage.
- 21. Main guard station.
- 22. Three-story building used as quarters for female workers.
- 23: Tailor and shoemaker's shop.
- 24. PT Camp 7368/10, closed in January 1950.
- 25. Laterial warehouse .
- 26. Foundry waste dump and loading ramp.
- 27. Jeron and waste dumo.
- 28. Spur tracks to the freight station.
- 29. Field railway for the removal of waste material which was used for filling the ravine.
- 30: Gas distribution system.
- 31. Ravine, the northern part of which had clready been filled.
- 32. Open terrain, to be used later for plant expansion.

_	
GO - TII I	

25X1